

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----			----- LOCAL HEALTH DEPARTMENTS -----		
Total 2001 Population		33,940		Community Options and MA Waiver Programs					Per 10,000
Population per square mile		28					Staffing - FTE		Number
County ranking in state (1-72)		55					Total staff		12
				COP			Administrative		1
Age		Female		Clients			Professional staff		6
0-14		4,030		57			Technical/Paraprof.		1
15-19		1,400		Costs			Support staff		4
20-24		730		\$329,172					
25-29		920		MA Waiver *					
30-34		970		CIP1A					
35-39		1,210		14					
40-44		1,220		95					
45-54		1,950		2,460,154					
55-64		1,440		CIP2					
65-74		1,370		13					
75-84		1,120		COP-W					
85+		570		72					
Total		16,930		\$488,854					
				CSLA					
				. \$0					
				Brain Injury					
				. \$0					
				Total COP/Wvrs					
				207					
				\$4,141,695					

NATALITY

TOTAL LIVE BIRTHS	518	Birth Order	Births	Percent	Marital Status of Mother	Births	Percent
Crude Live Birth Rate	15.2	First	149	29	Married	441	85
General Fertility Rate	80.3	Second	139	27	Not married	77	15
Live births with reported congenital anomalies	11 2.1%	Third	86	17	Unknown	0	0
		Fourth or higher	144	28			
		Unknown	0	0			
Delivery Type	Births Percent	First Prenatal Visit	Births	Percent	Education of Mother	Births	Percent
Vaginal after previous cesarean	8 2	1st trimester	310	60	Elementary or less	171	33
Forceps	2 <.5	2nd trimester	156	30	Some high school	27	5
Other vaginal	405 78	3rd trimester	41	8	High school	166	32
Primary cesarean	65 13	No visits	10	2	Some college	96	19
Repeat cesarean	38 7	Unknown	1	<.5	College graduate	58	11
Other or unknown	0 0				Unknown	0	0
Birthweight	Births Percent	Number of Prenatal Care visits	Births	Percent	Smoking Status of Mother	Births	Percent
<1,500 gm	7 1.4	No visits	10	2	Smoker	65	13
1,500-2,499 gm	18 3.5	1-4	68	13	Nonsmoker	453	87
2,500+ gm	493 95.2	5-9	182	35	Unknown	0	0
Unknown	0 0	10-12	160	31			
		13+	96	19			
		Unknown	2	<.5			
Race of Mother	Births Percent	Low Birthweight (under 2,500 gm)	Births Percent	1st Trimester	Trimester of First Prenatal Visit	2nd Trimester	Other/Unknown
White	511 99	Births Percent	Births Percent	Births Percent	Births Percent	Births Percent	Births Percent
Black	0 0	24 4.7	305 60	154 30	52 10		
Other	7 1	1 14.3	5 71	2 29			
Unknown	0 0						
Age of Mother	Births Fertility Rate	Low Birthweight (under 2,500 gm)	Births Percent	1st Trimester	Trimester of First Prenatal Visit	2nd Trimester	Other/Unknown
<15	0 --	Births Percent	Births Percent	Births Percent	Births Percent	Births Percent	Births Percent
15-17	7 8			6 86			1 14
18-19	29 62	1 3.4	19 66	9 31			1 3
20-24	131 180	8 6.1	77 59	41 31			13 10
25-29	166 181	8 4.8	103 62	49 30			14 8
30-34	121 125	4 3.3	76 63	31 26			14 12
35-39	55 45	2 3.6	24 44	23 42			8 15
40+	9 7	2 22.2	5 56	3 33			1 11
Unknown	0 --						
Teenage Births	36 26						

* Not reported: age or race category has less than 5 births

MORTALITY

REPORTED* CASES OF SELECTED DISEASES		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.			
Disease	Number	TOTAL DEATHS		300	Selected
Campylobacter Enteritis	24	Crude Death Rate		882	Underlying Cause
Giardiasis	18				Deaths
Hepatitis Type A	0				Rate
Hepatitis Type B**	0	Age	Deaths	Rate	Heart Disease (total)
Hepatitis NANB/C	<5	1-4	2	.	Ischemic heart disease
Legionnaire's	0	5-14	2	.	Cancer (total)
Lyme	25	15-19	3	.	Trachea/Bronchus/Lung
Measles	0	20-34	4	.	Colorectal
Meningitis, Aseptic	<5	35-54	21	230	Female Breast
Meningitis, Bacterial	<5	55-64	24	860	Cerebrovascular Disease
Mumps	0	65-74	48	1,852	Lower Resp. Disease
Pertussis	59	75-84	93	4,639	Pneumonia & Influenza
Salmonellosis	10	85+	99	11,807	Accidents
Shigellosis	<5				Motor vehicle
Tuberculosis	0				Diabetes
					Infectious & Parasitic
					Suicide
* 2001 provisional data		Infant			
** Includes all positive HBsAg test results		Mortality	Deaths	Rate	* Rate for female breast cancer based on female population.
		Total Infant	4	.	
		Neonatal	3	.	ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH
		Postneonatal	1	.	
		Unknown	.	.	
					Alcohol
Sexually Transmitted Disease		Race of Mother			Other Drugs
Chlamydia Trachomatis	20	White	4	.	Both Mentioned
Genital Herpes	8	Black	.	.	
Gonorrhea	<5	Other	.	.	
Syphilis	0	Unknown	.	.	
					----- MOTOR VEHICLE CRASHES -----
		Birthweight			Note: These data are based on location of crash, not on residence.
		<1,500 gm	1	.	
		1,500-2,499 gm	.	.	
		2,500+ gm	3	.	Type of Motor Vehicle Crash
		Unknown	.	.	Persons Injured
					Persons Killed
Children in Grades K-12 by Compliance Level		Perinatal			
Compliant	7,416	Mortality	Deaths	Rate	
Non-compliant	32	Total Perinatal	6	.	Total Crashes
Percent Compliant	99.6	Neonatal	3	.	Alcohol-Related
		Fetal	3	.	With Citation:
					For OWI
					For Speeding
					Motorcyclist
					Bicyclist
					Pedestrian

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	391	11.5	4.1	\$12,414	\$143	Total	64	1.9	4.3	\$4,804	\$9
<18	59	5.8	2.9	\$9,735	\$57	18-44	40	3.5	4.1	\$3,617	\$13
18-44	89	7.7	3.1	\$11,140	\$86	45-64	22	3.2	4.5	\$7,144	\$23
45-64	78	11.4	4.9	\$14,624	\$167	Pneumonia and Influenza					
65+	165	30.4	4.7	\$13,014	\$395	Total	182	5.4	4.1	\$7,937	\$42
Injury: Hip Fracture						<18	30	3.0	2.5	\$4,103	\$12
Total	38	1.1	5.8	\$16,158	\$18	45-64	20	2.9	4.0	\$8,748	\$26
65+	37	6.8	5.8	\$16,222	\$110	65+	121	22.3	4.7	\$8,913	\$198
Injury: Poisonings						Cerebrovascular Disease					
Total	21	0.6	2.0	\$4,950	\$3	Total	119	3.5	4.3	\$8,884	\$31
18-44	14	45-64	21	3.1	3.9	\$9,272	\$28
Psychiatric						65+	92	16.9	4.2	\$8,120	\$137
Total	205	6.0	6.2	\$5,100	\$31	Chronic Obstructive Pulmonary Disease					
<18	57	5.6	6.5	\$4,290	\$24	Total	142	4.2	3.6	\$6,936	\$29
18-44	87	7.6	5.7	\$4,852	\$37	<18	17
45-64	37	5.4	5.5	\$5,437	\$29	18-44	6
65+	24	4.4	8.1	\$7,406	\$33	45-64	36	5.3	3.5	\$7,301	\$38
Coronary Heart Disease						65+	83	15.3	4.1	\$7,757	\$118
Total	238	7.0	4.2	\$20,058	\$140	Drug-Related					
45-64	64	9.3	3.5	\$20,262	\$189	Total	28	0.8	7.3	\$6,576	\$5
65+	158	29.1	4.6	\$20,344	\$591	18-44	16
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	164	4.8	7.5	\$19,063	\$92	Total	4,445	130.7	4.0	\$8,984	\$1,174
18-44	10	<18	769	75.7	2.9	\$4,353	\$330
45-64	42	6.1	7.4	\$19,112	\$117	18-44	1,053	91.5	3.0	\$6,402	\$586
65+	110	20.2	7.7	\$18,646	\$377	45-64	769	112.3	4.4	\$11,430	\$1,283
Neoplasms: Female Breast (rates for female population)						65+	1,854	341.2	4.7	\$11,358	\$3,875
Total	5	----- PREVENTABLE HOSPITALIZATIONS* -----					
Neoplasms: Colo-rectal						Total	738	21.7	3.8	\$6,914	\$150
Total	32	0.9	10.0	\$24,188	\$23	<18	105	10.3	2.2	\$3,390	\$35
65+	27	5.0	9.7	\$22,331	\$111	18-44	71	6.2	2.7	\$5,366	\$33
Neoplasms: Lung						45-64	118	17.2	3.9	\$7,385	\$127
Total	16	65+	444	81.7	4.4	\$7,870	\$643
Diabetes						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	56	1.6	5.0	\$9,197	\$15						
65+	25	4.6	5.7	\$9,462	\$44						